

Index to volume 42

Author index

A

- Aarons L (see Toon et al). 1987;42:33-41
 Abernethy D (see Vestal et al). 1987;42:696-9 (Workshop)
 Abrams WB. Introduction: a concept of geriatric clinical pharmacology. 1987;42:659-62 (Workshop)
 Abrass IB. A study of training in clinical pharmacology of the elderly. 1987;42:693-5 (Workshop)
 Agren H (see Risby et al). 1987;42:547-54
 Alken RG (see Schäfer-Korting et al). 1987;42:613-20
 Alvan G (see Steiner et al). 1987;42:326-33
 Al-Waiz M, Ayesb R, Mitchell SC, Idle JR, Smith RL. Disclosure of the metabolic retroversion of trimethylamine *N*-oxide in humans: a pharmacogenetic approach. 1987;42:608-12
 —, —, —, —, —. A genetic polymorphism of the *N*-oxidation of trimethylamine in humans. 1987;42:588-94
 Anderson SA (see Brater et al). 1987;42:187-92
 — (see Brater et al). 1987;42:283-9
 Andersson T (see Lind et al). 1987;42:504-8
 Antal EJ (see Grasela et al). 1987;42:433-41
 Aoyagi K (see Baba et al). 1987;42:232-9
 Arancibia A (see Lutz et al). 1987;42:220-4
 Araya M (see Lutz et al). 1987;42:220-4
 Arias TD (see Inaba and Arias). 1987;42:493-7
 Ariens EJ, Wuis EW. Bias in pharmacokinetics and clinical pharmacology. 1987;42:361-3 (Commentary)
 Asinger RW (see Salerno et al). 1987;42:201-9
 Atkinson AJ Jr (see Piergies et al). 1987;42:107-12
 Averbuch Z (see Golik et al). 1987;42:42-4
 Avorn J. Pharmacology and geriatric practice: a case study in technology nontransfer. 1987;42:674-6 (Workshop)
 Avram MJ, Shanks CA, Henthorn TK, Ronai AK, Kinzer J, Wilkinson CJ. Metocurine kinetics in patients undergoing operations requiring cardiopulmonary bypass. 1987;42:576-81
 — (see Shanks et al). 1987;42:459-64
 Ayesb R (see Al-Waiz et al). 1987;42:588-94
 — (see Al-Waiz et al). 1987;42:608-12

B

- Baba T, Ishizaki T, Murabayashi S, Aoyagi K, Tamasawa N, Takebe K. Multiple oral doses of nifedipine, a calcium-entry blocker: effects on renal function, plasma renin activity, and aldosterone concentration in mild-to-moderate essential hypertension. 1987;42:232-9
 Bannwarth B (see Netter et al). 1987;42:555-61
 Barden TP (see Bloomfield et al). 1987;42:89-95
 Barouki F (see Witter et al). 1987;42:567-75
 Bartoszek M, Brenner AM, Szefer SJ. Prednisolone and methylprednisolone kinetics in children receiving anticonvulsant therapy. 1987;42:424-32
 Beck JC (see Oates et al). 1987;42:702-3 (Workshop)
 Beermann B (see Eriksson et al). 1987;42:646-58
 Belknap SM (see Piergies et al). 1987;42:107-12
 Belshe R (see Wills et al). 1987;42:449-54
 Belz GG (see Schäfer-Korting et al). 1987;42:613-20

- Benet LZ (see Noonan and Benet). 1987;42:273-7
 Benowitz NL, Lake T, Keller KH, Lee BL. Prolonged absorption with development of tolerance to toxic effects after cutaneous exposure to nicotine. 1987;42:119-20
 Bentley KC, Head TW. The additive analgesic efficacy of acetaminophen, 1000 mg, and codeine, 60 mg, in dental pain. 1987;42:634-40
 Beretta-Piccoli C (see Städler et al). 1987;42:485-92
 Bergstrom RF (see Knadler et al). 1987;42:514-20
 Berry C (see Wills et al). 1987;42:449-54
 Bertilsson L (see Nordin et al). 1987;42:10-9
 Blaschke TF (see Eichler et al). 1987;42:521-4
 Bloomfield SS, Cissell GB, Peters NM, Mitchell J, Nelson ED, Barden TP. Anirrolac vs. naproxen for postpartum uterine pain. 1987;42:89-95
 Blyden GT (see Greenblatt et al). 1987;42:193-200
 Boomsma F (see van den Meiracker et al). 1987;42:411-9
 Branch RA (see Ward et al). 1987;42:96-9
 Brass C (see Kandrotas et al). 1987;42:465-70
 Brater DC, Brown-Cartwright D, Anderson SA, Uamnuichai M. Effect of high-dose etodolac on renal function. 1987;42:283-9
 —, Leinfelder J, Anderson SA. Clinical pharmacology of torasemide, a new loop diuretic. 1987;42:187-92
 Brauer J (see Schäfer-Korting et al). 1987;42:613-20
 Breimer DD (see Cohen et al). 1987;42:535-41
 Brenner AM (see Bartoszek et al). 1987;42:424-32
 Brockmeyer N (see Ohnhaus et al). 1987;42:148-56
 Brown-Cartwright D (see Brater et al). 1987;42:283-9
 Brunster O (see Lutz et al). 1987;42:220-4
 Burstein ES (see Greenblatt et al). 1987;42:193-200
 Byyny RL, Nies AS, LoVerde ME, Mitchell WD. A double-blind, randomized, controlled trial comparing pinacidil to hydralazine in essential hypertension. 1987;42:50-7

C

- Cairns JA (see Myers et al). 1987;42:250-3
 Callaghan JT (see Knadler et al). 1987;42:514-20
 Camisa C (see Mays et al). 1987;42:621-6
 Campbell ME, Spielberg SP, Kalow W. A urinary metabolite ratio that reflects systemic caffeine clearance. 1987;42:157-65
 Cerletti C, Marchi S, Lauri D, Domanin M, Lorenzi G, Urso R, Dejana E, Latini R, de Gaetano G. Pharmacokinetics of enteric-coated aspirin and inhibition of platelet thromboxane A_2 and vascular prostacyclin generation in humans. 1987;42:175-80
 Chalew SA (see Levin et al). 1987;42:498-503
 Cheney P (see Mays et al). 1987;42:621-6
 Chiba K (see Ishizaki et al). 1987;42:525-34
 Chremos AN (see Ryan et al). 1987;42:225-31
 Christophidis N (see McNeil et al). 1987;42:299-304
 Cissell GB (see Bloomfield et al). 1987;42:89-95
 Cohen AF, Land GS, Breimer DD, Yuen WC, Winston C, Peck AW. Lamotrigine, a new anticonvulsant: pharmacokinetics in normal humans. 1987;42:535-41
 Cohen N (see Golik et al). 1987;42:42-4
 Collier PS, Fee JPH. H_2 -receptor blocking agents and hepatic drug elimination. 1987;42:595-6 (Letter reply)

- Collins WCJ, Cullen JM, Feely J. Calcium channel blocker drugs and diabetic control. 1987;42:420-3
 Connor JD (see Roberts et al). 1987;42:365-73
 Conrad KA, Fagan TC, Mayshar P, Davis TP, Johnson DG. Anti-hypertensive effects of parenteral nicardipine alone and in combination with captopril. 1987;42:113-8
 Conway EL (see McNeil et al). 1987;42:299-304
 Cooper TB (see Giardina et al). 1987;42:20-7
 Covington WP (see Ho et al). 1987;42:351-6
 Crowley JJ, Cusack BJ, Jue SG, Koup JR, Vestal RE. Cigarette smoking and theophylline metabolism: effects of phenytoin. 1987;42:334-40
 Cullen JM (see Collins et al). 1987;42:420-3
 Cusack BJ (see Crowley et al). 1987;42:334-40

D

- Dabronzo J (see Gengo et al). 1987;42:265-72
 Davidson WD (see Winer et al). 1987;42:442-8
 Davies RO (see Gibson et al). 1987;42:82-8
 Davis RJ (see Rocci et al). 1987;42:45-9
 Davis TP (see Conrad et al). 1987;42:113-8
 Davy M (see Reece et al). 1987;42:320-5
 de Gaetano G (see Cerletti et al). 1987;42:175-80
 De Grazia F (see Wills et al). 1987;42:449-54
 Dejane E (see Cerletti et al). 1987;42:175-80
 Derix FHM (see van den Meiracker et al). 1987;42:411-9
 de Wit H, Uhlenhuth EH, Johanson CE. The reinforcing properties of amphetamine in overweight subjects and subjects with depression. 1987;42:127-36
 Dionne RA (see Hargreaves et al). 1987;42:601-7
 Dobrinska MR (see Gibson et al). 1987;42:82-8
 Domanin M (see Cerletti et al). 1987;42:175-80
 Downs TR (see Williams et al). 1987;42:76-81
 Doyle R (see Thadani et al). 1987;42:58-65
 Drayer DE. On the use of drugs administered as racemates. 1987;42:364 (Commentary)
 Drummer OH (see McNeil et al). 1987;42:299-304
 Dylewicz P (see Ohnhaus et al). 1987;42:148-56

E

- Echizen H (see Ishizaki et al). 1987;42:525-34
 Eggers H (see Schoerlin et al). 1987;42:395-404
 Eichler HG, Hiremath A, Katzir D, Blaschke TF, Hoffmann BB. Absence of age-related changes in venous responsiveness to nitroglycerin in vivo in humans. 1987;42:521-4
 Ellenbogen KA, Roark SF, Sintetos AL, Smith MS, McCarthy EA, Smith WM, Kates RE, Pritchett ELC. Pharmacodynamics and pharmacokinetics of oral pirofenol. 1987;42:405-10
 Entwistle LA (see Gibson et al). 1987;42:82-8
 Ereshesky L (see Grasela et al). 1987;42:433-41
 Eriksson L-O, Beermann B, Kallner M. Renal function and tubular transport effects of sulindac and naproxen in chronic heart failure. 1987;42:646-58
 Espinoza J (see Lutz et al). 1987;42:220-4
 Evans RL (see Grasela et al). 1987;42:433-41

F

- Fagan TC (see Conrad et al). 1987;42:113-8
 Fee JPH (see Collier and Fee). 1987;42:595-6 (Letter reply)
 Feely J (see Collins et al). 1987;42:420-3
 Ferguson RK (see Rocci et al). 1987;42:45-9
 Fischer-Bosch M (see Klotz and Fischer-Bosch). 1987;42:595 (Letter)
 Follath F (see Ha et al). 1987;42:341-5
 Fragen RJ (see Shanks et al). 1987;42:459-64
 Fraiss MA (see Silke et al). 1987;42:381-7
 Freeman S (see Reece et al). 1987;42:320-5
 Friedman H (see Greenblatt et al). 1987;42:193-200

- Frohm LA (see Williams et al). 1987;42:76-81
 Frydman A (see Netter et al). 1987;42:555-61

G

- Garle M (see Steiner et al). 1987;42:326-33
 Garstang FM (see Toon et al). 1987;42:33-41
 Gaucher A (see Netter et al). 1987;42:555-61
 Gengo FM, Dabronzo J, Yurchak A, Love S, Miller JK. The relative antihistaminic and psychomotor effects of hydroxyzine and cetirizine. 1987;42:265-72
 Gerber JG (see Klein et al). 1987;42:260-4
 Gerber N (see Mays et al). 1987;42:621-6
 Gerich JE (see Kennedy and Gerich). 1987;42:455-8
 Gersema LM, Park GD, Kitt TM, Spector R. The effect of dietary protein-calorie restriction on the renal elimination of cimetidine. 1987;42:471-5
 Giardina EGV, Cooper TB, Suckow R, Saroff AL. Cardiovascular effects of doxepin in cardiac patients with ventricular arrhythmias. 1987;42:20-7
 Gibaldi M (see Heimark et al). 1987;42:312-9
 — (see Heimark et al). 1987;42:388-94
 Gibson RP, Dobrinska MR, Lin JH, Entwistle LA, Davies RO. Bio-transformation of sulindac in end-stage renal disease. 1987;42:82-8
 Golik A, Modai D, Weissgarten J, Cohen N, Averbuch Z, Sigler E, Zaidenstein R, Shaked U. Hydrochlorothiazide-amiloride causes excessive urinary zinc excretion. 1987;42:42-4
 Gonasun L (see Winer et al). 1987;42:442-8
 Goto F (see Ward et al). 1987;42:96-9
 Goulart DA (see Heimark et al). 1987;42:312-9
 — (see Heimark et al). 1987;42:388-94
 — (see O'Reilly et al). 1987;42:290-4
 Granrud GA (see Salerno et al). 1987;42:201-9
 Grasela TH Jr, Antal EJ, Ereshesky L, Wells BG, Evans RL, Smith RB. An evaluation of population pharmacokinetics in therapeutic trials. Part II. Detection of a drug-drug interaction. 1987;42:433-41
 Grayson M (see Winer et al). 1987;42:442-8
 Greenblatt DJ, Friedman H, Burstein ES, Scavone JM, Blyden GT, Ochs HR, Miller LG, Harmatz JS, Shader RI. Trazodone kinetics: effect of age, gender, and obesity. 1987;42:193-200
 — (see Vestal et al). 1987;42:696-9 (Workshop)
 Griffin D (see Witter et al). 1987;42:567-75
 Gruber CM (see Ryan et al). 1987;42:28-32
 Guentert TW (see Ha et al). 1987;42:341-5

H

- Ha HR, Vozeh S, Uematsu T, Guentert TW, Follath F. Kinetics and dynamics of quinidine-N-oxide in healthy subjects. 1987;42:341-5
 Habicht H (see Ohnhaus et al). 1987;42:148-56
 Hadengue A (see Koshy et al). 1987;42:295-8
 Hamilton SF (see Thadani et al). 1987;42:58-65
 Hara H (see Saito et al). 1987;42:142-7
 Hargreaves KM, Schmidt EA, Mueller GP, Dionne RA. Dexamethasone alters plasma levels of beta-endorphin and postoperative pain. 1987;42:601-7
 Harmatz JS (see Greenblatt et al). 1987;42:193-200
 Harrewyn JM (see Netter et al). 1987;42:555-61
 Harris C (see Winer et al). 1987;42:442-8
 Hazelrigg EJ (see Wilkin and Hazelrigg). 1987;42:582-7
 Head TW (see Bentley and Head). 1987;42:634-40
 Heimark LD, Gibaldi M, Trager WF, O'Reilly RA, Goulart DA. The mechanism of the warfarin-rifampin drug interaction in humans. 1987;42:388-94
 —, Toon S, Gibaldi M, Trager WF, O'Reilly RA, Goulart DA. The effect of sulfapyrazone on the disposition of pseudoracemic phenprocoumon in humans. 1987;42:312-9

- Henthorn TK (see Avram et al). 1987;42:576-81
Hermesh H (see Shalev et al). 1987;42:562-6
Hiatt WR (see Klein et al). 1987;42:260-4
Higaki J (see Saito et al). 1987;42:142-7
Hiremath A (see Eichler et al). 1987;42:521-4
Ho DHW, Covington WP, Legha SS, Newman RA, Krakoff IH.
Clinical pharmacology of trimetrexate. 1987;42:351-6
Hoch K (see Johnson et al). 1987;42:66-71
Hodges M (see Salerno et al). 1987;42:201-9
Hoffman BB (see Oates et al). 1987;42:702-3 (Workshop)
Hoffmann BB (see Eichler et al). 1987;42:521-4
Hopkins KJ (see Toon et al). 1987;42:33-41
Hoppu K, Koskimies O, Tuomisto J. Trimethoprim pharmacokinetics
in children with renal insufficiency. 1987;42:181-6
Horai Y (see Ishizaki et al). 1987;42:525-34
Howes LG (see McNeil et al). 1987;42:299-304
Hsiao JK (see Risby et al). 1987;42:547-54
Hui R, Trube A, Lissner D, Wilkinson MR, Mason RS, Posen S.
Interactions between 1,25-dihydroxyvitamin D₃ and vitamin D₂:
effects of pharmacologic doses in normal individuals. 1987;42:
641-5

I

- Idle JR (see Al-Waiz et al). 1987;42:588-94
—— (see Al-Waiz et al). 1987;42:608-12
Iinuma K (see Saito et al). 1987;42:142-7
Inaba T, Arias TD. On phenotyping with isoniazid: the use of urinary
acetylation rates and the uniqueness of antimetabolites. Study of two
Amerindian populations. 1987;42:493-7
Ishizaki T, Horai Y, Kubota K, Minegishi A, Echizen H, Chiba K.
Disposition kinetics and dynamics of nifedipine, a new antiar-
hythmic agent, in humans. 1987;42:525-34
—— (see Baba et al). 1987;42:232-9
Itskovitz H (see Winer et al). 1987;42:442-8

J

- Jackson N (see Silke et al). 1987;42:381-7
Jacqz E (see Ward et al). 1987;42:96-9
Jansyn EM (see Piergies et al). 1987;42:107-12
Jiron MI (see Koshy et al). 1987;42:295-8
Johanson CE (see de Wit et al). 1987;42:127-36
Johnson BF, Wilson J, Marwaha R, Hoch K, Johnson J. The com-
parative effects of verapamil and a new dihydropyridine calcium
channel blocker on digoxin pharmacokinetics. 1987;42:66-71
Johnson CL (see Ryan et al). 1987;42:225-31
Johnson DG (see Conrad et al). 1987;42:113-8
Johnson J (see Johnson et al). 1987;42:66-71
Jones RL (see Rodman et al). 1987;42:346-50
Jonkers R, Van Boxtel CJ, Oosterhuis B. Beta-2-adrenoceptor-me-
diated hypokalemia and its abolishment by oxprenolol.
1987;42:627-33
Jovanovic L (see Levin et al). 1987;42:498-503
Jue SG (see Crowley et al). 1987;42:334-40
Jusko WJ (see Kandrotas et al). 1987;42:465-70

K

- Kadar D (see Tang et al). 1987;42:509-13
Kallner M (see Eriksson et al). 1987;42:646-58
Kalow W (see Campbell et al). 1987;42:157-65
—— (see Tang et al). 1987;42:509-13
Kandrotas RJ, Slaughter RL, Brass C, Jusko WJ. Ketoconazole ef-
fects on methylprednisolone disposition and their joint suppression
of endogenous cortisol. 1987;42:465-70
Kane RL (see Oates et al). 1987;42:702-3 (Workshop)
Karpow SA (see Thadani et al). 1987;42:58-65

- Kates RE, Yee YG, Kirsten EB. Interaction between warfarin and
propafenone in healthy volunteer subjects. 1987;42:305-11
—— (see Ellenbogen et al). 1987;42:405-10
Katzir D (see Eichler et al). 1987;42:521-4
Keller KH (see Benowitz et al). 1987;42:119-20
Kennedy FP, Gerich JE. A new alpha-glucosidase inhibitor (Bay-m-
1099) reduces insulin requirements with meals in insulin-dependent
diabetes mellitus. 1987;42:455-8
Kim F (see Levin et al). 1987;42:498-503
Kim YT (see Roberts et al). 1987;42:365-73
Kinzer J (see Avram et al). 1987;42:576-81
Kirsten EB (see Kates et al). 1987;42:305-11
Kishida H, Murao S. Effect of a new coronary vasodilator, nicorandil,
on variant angina pectoris. 1987;42:166-74
Kitt TM (see Gersema et al). 1987;42:471-5
Klein C, Hiatt WR, Gerber JG, Nies AS. The balance between
vascular alpha- and beta-adrenoceptors is not changed in the elderly.
1987;42:260-4
Klotz U, Fischer-Bosch M. H₂-receptor blocking agents and hepatic
drug elimination. 1987;42:595 (Letter)
Knadler MP, Bergstrom RF, Callaghan JT, Obermeyer BD, Rubin
A. Absorption studies of the H₂-blocker nizatidine. 1987;42:
514-20
Korn A (see Schoerlin et al). 1987;42:395-404
Korpela R (see Maunukesela et al). 1987;42:137-41
Koshy A, Hadengue A, Lee SS, Jiron MI, Lebrech D. Possible del-
eterious hemodynamic effect of nifedipine on portal hypertension
in patients with cirrhosis. 1987;42:295-8
Koskimies O (see Hoppu et al). 1987;42:181-6
Koup JR (see Crowley et al). 1987;42:334-40
Kowarski AA (see Levin et al). 1987;42:498-503
Krakoff IH (see Ho et al). 1987;42:351-6
Kubota K (see Ishizaki et al). 1987;42:525-34
Kumahara Y (see Saito et al). 1987;42:142-7
Kumar R (see Winer et al). 1987;42:442-8

L

- Lake T (see Benowitz et al). 1987;42:119-20
Land GS (see Cohen et al). 1987;42:535-41
Lapicque F (see Netter et al). 1987;42:555-61
Laska EM (see Sunshine et al). 1987;42:374-80
Laskin OL (see Roberts et al). 1987;42:365-73
Latini R (see Cerletti et al). 1987;42:175-80
Laurence J (see Roberts et al). 1987;42:365-73
Lauri D (see Cerletti et al). 1987;42:175-80
Lebrech D (see Koshy et al). 1987;42:295-8
Lee BL (see Benowitz et al). 1987;42:119-20
Lee SS (see Koshy et al). 1987;42:295-8
Legha SS (see Ho et al). 1987;42:351-6
Leinfelder J (see Brater et al). 1987;42:187-92
Leonardi L (see Städlér et al). 1987;42:485-92
Levin PA, Jovanovic L, Chalew SA, Martin L, Pitarra DK, Kim F,
Kowarski AA. Linagliptide fumarate, representing a new class of
oral hypoglycemic agent for diabetes. 1987;42:498-503
Levine RJ. The apparent incompatibility between informed consent
and placebo-controlled clinical trials. 1987;42:247-9
Lietman P (see Witter et al). 1987;42:567-75
Lin A (see Wills et al). 1987;42:449-54
Lin JH (see Gibson et al). 1987;42:82-8
Lind M (see Steiner et al). 1987;42:326-33
Lind T, Andersson T, Sködanberg I, Olbe L. Biliary excretion of
intravenous ¹⁴Comeprazole in humans. 1987;42:504-8
Lissner D (see Hui et al). 1987;42:641-5
Lorenzi G (see Cerletti et al). 1987;42:175-80
Louis WJ (see McNeil et al). 1987;42:299-304
Love SJ (see Reitberg et al). 1987;42:72-5
LoVerde ME (see Byyny et al). 1987;42:50-7
Lowenthal DT (see Oates et al). 1987;42:702-3 (Workshop)

- Lutz M, Espinoza J, Arancibia A, Araya M, Pacheco I, Brunster O.
Effect of structured dietary fiber on bioavailability of amoxicillin.
1987;42:220-4

M

- MacCarthy EP (see Williams et al). 1987;42:76-81
Maguire JH (see Steiner et al). 1987;42:326-33
Maisel AS, Motulsky HJ. Receptor redistribution does not accompany terbutaline-induced down regulation of beta-adrenergic receptors on human mononuclear leukocytes. 1987;42:100-6
Man in't Veld AJ (see van den Meiracker et al). 1987;42:411-9
Mantell G (see Ryan et al). 1987;42:225-31
Marchi S (see Cerletti et al). 1987;42:175-80
Marone C (see Städler et al). 1987;42:485-92
Martin L (see Levin et al). 1987;42:498-503
Marwaha R (see Johnson et al). 1987;42:66-71
Mason RS (see Hui et al). 1987;42:641-5
Maunukesa E, Olkkola KT, Korpela R. Measurement of pain in children with self-reporting and behavioral assessment. 1987;42:137-41
Mayersohn M (see Schoerlin et al). 1987;42:395-404
Mays DC, Camisa C, Cheney P, Pacula CM, Nawoot S, Gerber N. Methoxsalen is a potent inhibitor of the metabolism of caffeine in humans. 1987;42:621-6
Mayshar P (see Conrad et al). 1987;42:113-8
McAdams J (see Stambaugh and McAdams). 1987;42:210-9
McCarthy EA (see Ellenbogen et al). 1987;42:405-10
McClanahan JS (see Steiner et al). 1987;42:326-33
McMahon FG (see Ryan et al). 1987;42:225-31
McNeil JJ, Conway EL, Drummer OH, Howes LG, Christophidis N, Louis WJ. Clopamide: plasma concentrations and diuretic effect in humans. 1987;42:299-304
Midtbo KA (see Silke et al). 1987;42:381-7
Milazzo J (see Wills et al). 1987;42:449-54
Miller JK (see Gengo et al). 1987;42:265-72
Miller LG (see Greenblatt et al). 1987;42:193-200
Minamino T (see Saito et al). 1987;42:142-7
Minegishi A (see Ishizaki et al). 1987;42:525-34
Mitchell J (see Bloomfield et al). 1987;42:89-95
Mitchell SC (see Al-Waiz et al). 1987;42:588-94
— (see Al-Waiz et al). 1987;42:608-12
Mitchell WD (see Byyny et al). 1987;42:50-7
Modai D (see Golik et al). 1987;42:42-4
Mojaverian P (see Rocci et al). 1987;42:45-9
Morgan JP (see Puder and Morgan). 1987;42:1-9 (Commentary)
Motulsky HJ (see Maisel and Motulsky). 1987;42:100-6
Mueller GP (see Hargreaves et al). 1987;42:601-7
Mulder P (see van den Meiracker et al). 1987;42:411-9
Munitz H (see Shalev et al). 1987;42:562-6
Murabayashi S (see Baba et al). 1987;42:232-9
Murao S (see Kishida and Murao). 1987;42:166-74
Murray HW (see Roberts et al). 1987;42:365-73
Mutschler E (see Schäfer-Korting et al). 1987;42:613-20
Mutterperl R (see Skinner et al). 1987;42:542-6
Myers MG, Cairns JA, Singer J. The consent form as a possible cause of side effects. 1987;42:250-3

N

- Nadler P (see Witter et al). 1987;42:567-75
Nakamaru M (see Saito et al). 1987;42:142-7
Nakamura K (see Ward et al). 1987;42:96-9
Nawoot S (see Mays et al). 1987;42:621-6
Nelson ED (see Bloomfield et al). 1987;42:89-95
Netter P, Bannwarth B, Lapique F, Harrewyn JM, Frydman A, Tamisier JN, Gaucher A, Royer RJ. Total and free ketoprofen in serum and synovial fluid after intramuscular injection. 1987;42:555-61
Newman RA (see Ho et al). 1987;42:351-6

- Nies AS (see Byyny et al). 1987;42:50-7
— (see Klein et al). 1987;42:260-4
Nilson SO (see Steiner et al). 1987;42:326-33
Noonan PK, Benet LZ. Variable glyceryl dinitrate formation as a function of route of nitroglycerin administration. 1987;42:273-7
Nordin C, Bertilsson L, Siwers B. Clinical and biochemical effects during treatment of depression with nortriptyline: the role of 10-hydroxynortriptyline. 1987;42:10-9

O

- Oates J, Lowenthal DT, Kane RL, Hoffman BB, Beck JC. Panel II: assessing progress and value of training programs. 1987;42:702-3 (Workshop)
Obermeyer BD (see Knadler et al). 1987;42:514-20
Ochs HR (see Greenblatt et al). 1987;42:193-200
Offen WW (see Ryan et al). 1987;42:28-32
Ogihara T (see Saito et al). 1987;42:142-7
O'Hara DA (see Shanks et al). 1987;42:459-64
Ohnhaus EE, Brockmeyer N, Dylewicz P, Habicht H. The effect of antipyrine and rifampin on the metabolism of diazepam. 1987;42:148-56
Olbe L (see Lind et al). 1987;42:504-8
Olkkola KT (see Maunukesa et al). 1987;42:137-41
Olson N (see Sunshine et al). 1987;42:374-80
Oosterhuis B (see Jonkers et al). 1987;42:627-33
O'Reilly RA, Trager WF, Rettie AE, Goulart DA. Interaction of amiodarone with racemic warfarin and its separated enantiomorphs in humans. 1987;42:290-4
— (see Heimark et al). 1987;42:312-9
— (see Heimark et al). 1987;42:388-94
O'Sullivan GF, Wade DN. Flumazenil in the management of acute drug overdosage with benzodiazepines and other agents. 1987;42:254-9

P

- Pacheco I (see Lutz et al). 1987;42:220-4
Pacula CM (see Mays et al). 1987;42:621-6
Park GD (see Gersema et al). 1987;42:471-5
Peck AW (see Cohen et al). 1987;42:535-41
Peters NM (see Bloomfield et al). 1987;42:89-95
Piergies AA, Ruot TI, Jansyn EM, Belknap SM, Atkinson AJ Jr. Effect kinetics of N-acetylprocainamide-induced QT interval prolongation. 1987;42:107-12
Pitarra DK (see Levin et al). 1987;42:498-503
Posen S (see Hui et al). 1987;42:641-5
Potter WZ (see Risby et al). 1987;42:547-54
Prasad R (see Thadani et al). 1987;42:58-65
Pritchett ELC (see Ellenbogen et al). 1987;42:405-10
Puder KS, Morgan JP. Persuading by citation: an analysis of the references of fifty-three published reports of phenylpropanolamine's clinical toxicity. 1987;42:1-9 (Commentary)

R

- Rakugi H (see Saito et al). 1987;42:142-7
Reder R (see Thadani et al). 1987;42:58-65
Reece PA, Stafford I, Davy M, Freeman S. Disposition of unchanged cisplatin in patients with ovarian cancer. 1987;42:320-5
Reidenberg MM. Drug therapy in the elderly: the problem from the point of view of a clinical pharmacologist. 1987;42:677-80 (Workshop)
— Should unevaluated therapies be available for sale? 1987;42:599-600 (Commentary)
Reitberg DP, Love SJ, Zuerchia GT, Zinny MA. Effect of food on nifedipine pharmacokinetics. 1987;42:72-5
Rettie AE (see O'Reilly et al). 1987;42:290-4
Reynolds G (see Silke et al). 1987;42:381-7
Riesen W (see Städler et al). 1987;42:485-92
Riley WA (see Ryan et al). 1987;42:28-32

- Risby ED, Hsiao JK, Sunderland T, Agren H, Rudorfer MV, Potter WZ. The effects of antidepressants on the cerebrospinal fluid homovanillic acid/5-hydroxyindoleacetic acid ratio. 1987;42:547-54
Rivera J (see Sunshine et al). 1987;42:374-80
Roark SF (see Ellenbogen et al). 1987;42:405-10
Roberts RB, Laskin OL, Laurence J, Scavuzzo D, Murray HW, Kim YT, Connor JD. Ribavirin pharmacodynamics in high-risk patients for acquired immunodeficiency syndrome. 1987;42:365-73
Rocci ML Jr, Mojaverian P, Davis RJ, Ferguson RK, Vlasses PH. Food-induced gastric retention and absorption of sustained-release procainamide. 1987;42:45-9
Rodman JS, Williams JJ, Jones RL. Hypercoagulability produced by treatment with acetohydroxamic acid. 1987;42:346-50
Ronai AK (see Avram et al). 1987;42:576-81
Roure C (see Sunshine et al). 1987;42:374-80
Rowland M (see Toon et al). 1987;42:33-41
Royer RJ (see Netter et al). 1987;42:555-61
Rubin A (see Knadler et al). 1987;42:514-20
Rudorfer MV (see Risby et al). 1987;42:547-54
Ruo TI (see Piergies et al). 1987;42:107-12
Ryan JR, Chremos AN, Vargas R, Mantell G, Johnson CL, McMahon FG. The effect of various dose regimens of famotidine on basal nocturnal and meal-stimulated gastric secretion. 1987;42:225-31
—, Riley WA, Vargas R, Offen WW, Gruber CM. Enteric coating of fenopropfen calcium reduces gastrointestinal microbleeding. 1987;42:28-32

S

- Saito H, Ogiwara T, Nakamaru M, Hara H, Higaki J, Rakugi H, Tateyama H, Minamoto T, Iinuma K, Kumahara Y. Hemodynamic, renal, and hormonal responses to alpha-human atrial natriuretic peptide in patients with congestive heart failure. 1987;42:142-7
Salerna DM, Sharkey PJ, Granrud GA, Asinger RW, Hodges M. Efficacy, safety, hemodynamic effects, and pharmacokinetics of high-dose moricizine during short- and long-term therapy. 1987;42:201-9
Saroff AL (see Giardina et al). 1987;42:20-7
Scavone JM (see Greenblatt et al). 1987;42:193-200
Scavuzzo D (see Roberts et al). 1987;42:365-73
Schäfer-Korting M, Belz GG, Brauer J, Alken RG, Mutschler E. Digoxin concentrations in serum and cantharides blister fluid: correlations with cardiac response. 1987;42:613-20
Schalekamp MADH (see van den Meiracker et al). 1987;42:411-9
Schmidt EA (see Hargreaves et al). 1987;42:601-7
Schoerlin MP, Mayersohn M, Korn A, Eggers H. Disposition kinetics of moclobemide, a monoamine oxidase-A enzyme inhibitor: single and multiple dosing in normal subjects. 1987;42:395-404
Sedman A (see Toon et al). 1987;42:33-41
Shader RI (see Greenblatt et al). 1987;42:193-200
Shaked U (see Golik et al). 1987;42:42-4
Shalev A, Hermesh H, Munitz H. The hypouricemic effect of chlorprothixene. 1987;42:562-6
Shanks CA, Avram MJ, Fragen RJ, O'Hara DA. Pharmacokinetics and pharmacodynamics of vecuronium administered by bolus and infusion during halothane or balanced anesthesia. 1987;42:459-64
— (see Avram et al). 1987;42:576-81
Sharkey PJ (see Salerno et al). 1987;42:201-9
Sharma S (see Silke et al). 1987;42:381-7
Sigler E (see Golik et al). 1987;42:42-4
Silke B, Fraiss MA, Midtbo KA, Verma SP, Sharma S, Reynolds G, Jackson N, Taylor SH. Comparative hemodynamic dose-response effects of five slow calcium channel-blocking agents in coronary artery disease. 1987;42:381-7
Singer J (see Myers et al). 1987;42:250-3
Sintetos AL (see Ellenbogen et al). 1987;42:405-10
Siwers B (see Nordin et al). 1987;42:10-9
Sjöqvist F (see Steiner et al). 1987;42:326-33

- Skinner MH, Mutterperl R, Zeitz HJ. Sulindac inhibits bumetanide-induced sodium and water excretion. 1987;42:542-6
Sködanberg I (see Lind et al). 1987;42:504-8
Slaughter RL (see Kandrotas et al). 1987;42:465-70
Smith MS (see Ellenbogen et al). 1987;42:405-10
Smith RB (see Grasel et al). 1987;42:433-41
Smith RL (see Al-Waiz et al). 1987;42:588-94
— (see Al-Waiz et al). 1987;42:608-12
Smith WM (see Ellenbogen et al). 1987;42:405-10
Solomon DH (see Vestal et al). 1987;42:696-9 (Workshop)
Spector R (see Gersema et al). 1987;42:471-5
Spielberg SP (see Campbell et al). 1987;42:157-65
Spina E (see Steiner and Spina). 1987;42:278-82
Städler P, Leonardi L, Riesen W, Ziegler W, Marone C, Beretta-Piccoli C. Cardiovascular effects of verapamil in essential hypertension. 1987;42:485-92
Stafford I (see Reece et al). 1987;42:320-5
Stambaugh JE Jr, McAdams J. Comparison of intramuscular dezocine with butorphanol and placebo in chronic cancer pain: a method to evaluate analgesia after both single and repeated doses. 1987;42:210-9
Steiner E, Alvan G, Garle M, Maguire JH, Lind M, Nilsson SO, Tomson T, McClanahan JS, Sjöqvist F. The debrisoquin hydroxylation phenotype does not predict the metabolism of phenytoin. 1987;42:326-33
Steiner E, Spina E. Differences in the inhibitory effect of cimetidine on desipramine metabolism between rapid and slow debrisoquin hydroxylators. 1987;42:278-82
Suckow R (see Giardina et al). 1987;42:20-7
Sunderland T (see Risby et al). 1987;42:547-54
Sunshine A, Roure C, Olson N, Laska EM, Zorrilla C, Rivera J. Analgesic efficacy of two ibuprofen-codeine combinations for the treatment of postepisiotomy and postoperative pain. 1987;42:374-80
Szefer SJ (see Bartoszek et al). 1987;42:424-32

T

- Takebe K (see Baba et al). 1987;42:232-9
Tamasawa N (see Baba et al). 1987;42:232-9
Tamisier JN (see Netter et al). 1987;42:555-61
Tang BK, Kadar D, Kalow W. An alternative test for acetylator phenotyping with caffeine. 1987;42:509-13
Tateyama H (see Saito et al). 1987;42:142-7
Taylor SH (see Silke et al). 1987;42:381-7
Teague SM (see Thadani et al). 1987;42:58-65
Temple R. The clinical investigation of drugs for use by the elderly: industry initiatives. 1987;42:681-5 (Workshop)
Thadani U, Prasad R, Hamilton SF, Voyles WF, Doyle R, Karpow SA, Reder R, Teague SM. Isosorbide-5-mononitrate in angina pectoris: plasma concentrations and duration of effects after acute therapy. 1987;42:58-65
Thys-Jacobs S (see Winer et al). 1987;42:442-8
Tomlinson D (see Wills et al). 1987;42:449-54
Tomson T (see Steiner et al). 1987;42:326-33
Toon S, Hopkins KJ, Garstang FM, Aarons L, Sedman A, Rowland M. Enoxacin-warfarin interaction: pharmacokinetic and stereochemical aspects. 1987;42:33-41
— (see Heimark et al). 1987;42:312-9
Trager WF (see Heimark et al). 1987;42:312-9
— (see Heimark et al). 1987;42:388-94
— (see O'Reilly et al). 1987;42:290-4
Trube A (see Hui et al). 1987;42:641-5
Tuomisto J (see Hoppu et al). 1987;42:181-6

U

- Uaamuichai M (see Brater et al). 1987;42:283-9
Uematsu T (see Ha et al). 1987;42:341-5

- Uhlenhuth EH (*see de Wit et al.*). 1987;42:127-36
Urso R (*see Cerletti et al.*). 1987;42:175-80

V

- Vagelos PR. The aging of America: a challenge to the pharmaceutical industry. 1987;42:670-3 (Workshop)
Van Bostel CJ (*see Jonkers et al.*). 1987;42:627-33
van den Meiracker AH, Man in't Veld AJ, van Eck HJR, Boomsma F, Derckx FHM, Mulder P, Schalekamp MADH. The clinical pharmacology of bopindolol, a new long-acting beta-adrenoceptor antagonist, in hypertension. 1987;42:411-9
van Eck HJR (*see van den Meiracker et al.*). 1987;42:411-9
Vargas R (*see Ryan et al.*). 1987;42:225-31
— (*see Ryan et al.*). 1987;42:28-32
Verma SP (*see Silke et al.*). 1987;42:381-7
Vestal RE, Wood A, Abernathy D, Solomon DH, Greenblatt DJ. Panel I: the ideal training program. 1987;42:696-9 (Workshop)
— (*see Crowley et al.*). 1987;42:334-40
Vlasses PH (*see Rocci et al.*). 1987;42:45-9
Voyles WF (*see Thadani et al.*). 1987;42:58-65
Vozeh S (*see Ha et al.*). 1987;42:341-5

W

- Wade DN (*see O'Sullivan and Wade.*). 1987;42:254-9
Walker D (*see Winer et al.*). 1987;42:442-8
Ward SA, Goto F, Nakamura K, Jacqz E, Wilkinson GR, Branch RA. S-mephenytoin 4-hydroxylase is inherited as an autosomal-recessive trait in Japanese families. 1987;42:96-9
Weinshilboum RM. The therapeutic revolution. 1987;42:481-4
Weissgarten J (*see Golik et al.*). 1987;42:42-4
Wells BG (*see Grasela et al.*). 1987;42:433-41
Wells S (*see Wills et al.*). 1987;42:449-54
Wilkin JK, Hazelrigg EJ. Effect of naltrexone on ethanol-provoked flushing in Oriental and white subjects. 1987;42:582-7
Wilkinson CJ (*see Avram et al.*). 1987;42:576-81
Wilkinson GR (*see Ward et al.*). 1987;42:96-9
Wilkinson MR (*see Hui et al.*). 1987;42:641-5
Williams JJ (*see Rodman et al.*). 1987;42:346-50

- Williams TC, MacCarthy EP, Downs TR, Frohman LA. Intravenous medrohalol stimulates prolactin secretion in normal and hypertensive subjects. 1987;42:76-81
Williams TF. Aging or disease. 1987;42:663-5 (Workshop)
Wills RJ, Belshe R, Tomlinsin D, De Grazia F, Lin A, Wells S, Milazzo J, Berry C. Pharmacokinetics of rimantadine hydrochloride in patients with chronic liver disease. 1987;42:449-54
Wilson J (*see Johnson et al.*). 1987;42:66-71
Winer N, Thys-Jacobs S, Kumar R, Davidson WD, Grayson M, Harris C, Walker D, Itskovitz H, Gonasun L. Evaluation of isradipine (PN 200-110) in mild to moderate hypertension. 1987;42:442-8
Winston C (*see Cohen et al.*). 1987;42:535-41
Witter F, Barouki F, Griffin D, Nadler P, Woods A, Wood D, Lietman P. Biologic response (antiviral) to recombinant human interferon alpha 2a as a function of dose and route of administration in healthy volunteers. 1987;42:567-75
Wood A (*see Vestal et al.*). 1987;42:696-9 (Workshop)
Wood D (*see Witter et al.*). 1987;42:567-75
Woods A (*see Witter et al.*). 1987;42:567-75
Wright IS. Drug or medication. 1987;42:245 (Commentary)
Wuis EW (*see Ariens and Wuis.*). 1987;42:361-3 (Commentary)

Y

- Yee YG (*see Kates et al.*). 1987;42:305-11
Young FE. Clinical evaluation of medicine used by the elderly. 1987;42:666-9 (Workshop)
Yuen WC (*see Cohen et al.*). 1987;42:535-41
Yurchak A (*see Gengo et al.*). 1987;42:265-72

Z

- Zaidenstein R (*see Golik et al.*). 1987;42:42-4
Zeit HJ (*see Skinner et al.*). 1987;42:542-6
Ziegler W (*see Städler et al.*). 1987;42:485-92
Zinny MA (*see Reitberg et al.*). 1987;42:72-5
Zorrilla C (*see Sunshine et al.*). 1987;42:374-80
Zuercia GT (*see Reitberg et al.*). 1987;42:72-5

Subject index

A

Absorption

Food-induced gastric retention and absorption of sustained-release procainamide (Rocci et al). 1987;42:45-9

Absorption studies of the H₂-blocker nizatidine (Knadler et al). 1987;42:514-20

Acetaminophen

The additive analgesic efficacy of acetaminophen, 1000 mg, and codeine, 60 mg, in dental pain (Bentley and Head). 1987;42:634-40

Acetohydroxamic acid

Hypercoagulability produced by treatment with acetohydroxamic acid (Rodman et al). 1987;42:346-50

Acetylator phenotyping

An alternative test for acetylator phenotyping with caffeine (Tang et al). 1987;42:509-13

N-Acetylprocainamide

Effect kinetics of N-acetylprocainamide-induced QT interval prolongation (Piergies et al). 1987;42:107-12

Acquired immunodeficiency syndrome

Ribavirin pharmacodynamics in high-risk patients for acquired immunodeficiency syndrome (Roberts et al). 1987;42:365-73

Adrenergic receptors; *see* Alpha-adrenoceptors; Beta-adrenoceptors

Age; *See also* Geriatric pharmacology

Absence of age-related changes in venous responsiveness to nitroglycerin in vivo in humans (Eichler et al). 1987;42:521-4

Trazodone kinetics: effects of age, gender, and obesity (Greenblatt et al). 1987;42:193-200

AIDS; *See* Acquired immunodeficiency syndrome

Aldosterone

Multiple oral doses of nicardipine, a calcium-entry blocker: effects on renal function, plasma renin activity, and aldosterone concentration in mild-to-moderate essential hypertension (Baba et al). 1987;42:232-9

Almagate

Almagate (USAN List 290). 1987;42:656

Alpha-adrenoceptors

The balance between vascular alpha- and beta-adrenoceptors is not changed in the elderly (Klein et al). 1987;42:260-4

Alpha-glucosidase

A new alpha-glucosidase inhibitor (Bay-m-1099) reduces insulin requirements with meals in insulin-dependent diabetes mellitus (Kennedy and Gerich). 1987;42:455-8

Alpha-human atrial natriuretic peptide

Hemodynamic, renal and hormonal responses to alpha-human atrial natriuretic peptide in patients with congestive heart failure (Saito et al). 1987;42:142-7

Amerindian populations

On phenotyping with isoniazid: the use of urinary acetylation ratio and the uniqueness of antimodes. Study of two Amerindian populations (Inaba and Arias). 1987;42:493-7

Amiloride

Hydrochlorothiazide-amiloride causes excessive urinary zinc excretion (Golik et al). 1987;42:42-4

Amiodarone

Interaction of amiodarone with racemic warfarin and its separated enantiomorphs in humans (O'Reilly et al). 1987;42:290-4

Amoxicillin

Effect of structured dietary fiber on bioavailability of amoxicillin (Lutz et al). 1987;42:220-4

Amphetamine

The reinforcing properties of amphetamine in overweight subjects and subjects with depression (de Wit et al). 1987;42:127-36

Analgesia

Analgesic efficacy of two ibuprofen-codeine combinations for the treatment of postepisiotomy and postoperative pain (Sunshine et al). 1987;42:374-80

Comparison of intramuscular dezocine with butorphanol and placebo in chronic cancer pain: a method to evaluate analgesia after both single and repeated doses (Stambaugh and McAdams). 1987;42:210-9

Anartide acetate

Anartide acetate (USAN List No. 286). 1987;42:241

Anesthesia

Pharmacokinetics and pharmacodynamics of vecuronium administered by bolus and infusion during halothane or balanced anesthesia (Shanks et al). 1987;42:459-64

Angina

Effect of a new coronary vasodilator, nicorandil, on variant angina pectoris (Kishida and Murao). 1987;42:166-74

Isosorbide-5-mononitrate in angina pectoris: plasma concentrations and duration of effects after acute therapy (Thadani et al). 1987;42:58-65

Anirolac

Anirolac vs. naproxen for postpartum uterine pain (Bloomfield et al). 1987;42:89-95

Antiarrhythmic agent

Disposition kinetics and dynamics of nicaniprol, a new antiarrhythmic agent, in humans (Ishizaki et al). 1987;42:525-34

Anticonvulsants

Lamotrigine, a new anticonvulsant: pharmacokinetics in normal humans (Cohen et al). 1987;42:535-41

Prednisolone and methylprednisolone kinetics in children receiving anticonvulsant therapy (Bartoszek et al). 1987;42:424-32

Antidepressants

The effects of antidepressants on the cerebrospinal fluid homovanillic acid/5-hydroxyindoleacetic acid ratio (Risby et al). 1987;42:547-54

Antihistaminic effects

The relative antihistaminic and psychomotor effects of hydroxyzine and cetirizine (Gengo et al). 1987;42:265-72

Antihypertensive

Antihypertensive effects of parenteral nicardipine alone and in combination with captopril (Conrad et al). 1987;42:113-8

Antipyrine

The effect of antipyrine and rifampin on the metabolism of diazepam (Ohnhaus et al). 1987;42:148-56

Antiviral response

Biologic response (antiviral) to recombinant human interferon alpha 2a as a function of dose and route of administration in healthy volunteers (Witter et al). 1987;42:567-75

Arrhythmia

Cardiovascular effects of doxepin in cardiac patients with ventricular arrhythmias (Giardina et al). 1987;42:20-7

Aspirin

Pharmacokinetics of enteric-coated aspirin and inhibition of platelet thromboxane A₂ and vascular prostacyclin generation in humans (Cerletti et al). 1987;42:175-80

Atrial natriuretic peptide

Hemodynamic, renal, and hormonal responses to alpha-human atrial natriuretic peptide in patients with congestive heart failure (Saito et al). 1987;42:142-7

Autosomal-recessive trait

S-mephenytoin 4-hydroxylase is inherited as an autosomal-recessive trait in Japanese families (Ward et al). 1987;42:96-9

Azithromycin

Azithromycin (USAN List No. 289). 1987;42:598

B**Bay-m-1099**

A new alpha-glucosidase inhibitor (Bay-m-1099) reduces insulin requirements with meals in insulin-dependent diabetes mellitus (Kennedy and Gerich). 1987;42:455-8

Behavioral assessment

Measurement of pain in children with self-reporting and behavioral assessment (Maunukesela et al). 1987;42:137-41

Bemarinone hydrochloride

Bemarinone hydrochloride (USAN List No. 287). 1987;42:360

Benazeprilat

Benazeprilat (USAN List 290). 1987;42:656

Benzodiazepine

Flumazenil in the management of acute drug overdosage with benzodiazepines and other agents (O'Sullivan and Wade). 1987;42:254-9

Beta-adrenoceptors

The balance between vascular alpha- and beta-adrenoceptors is not changed in the elderly (Klein et al). 1987;42:260-4

Beta-2-adrenoceptor-mediated hypokalemia and its abolishment by oxprenolol (Jonkers et al). 1987;42:627-33

Receptor redistribution does not accompany terbutaline-induced down regulation of beta-adrenergic receptors on human mononuclear leukocytes (Maisel and Motulsky). 1987;42:100-6

Beta-adrenoceptor antagonist

The clinical pharmacology of bopindolol, a new long-acting beta-adrenoceptor antagonist, in hypertension (van den Meiracker et al). 1987;42:411-9

Beta-endorphin

Dexamthasone alters plasma levels of beta-endorphin and post-operative pain (Hargreaves et al). 1987;42:601-7

Biliary excretion

Biliary excretion of intravenous ¹⁴Comeprazole in humans (Lind et al). 1987;42:504-8

Biotransformation

Biotransformation of sulindac in end-stage renal disease (Gibson et al). 1987;42:82-8

Bleeding

Enteric coating of fenoprofen calcium reduces gastrointestinal microbleeding (Ryan et al). 1987;42:28-32

Blister fluid

Digoxin concentrations in serum and cantharides blister fluid: correlations with cardiac response (Schäfer-Korting et al). 1987;42:613-20

Bolus administration

Pharmacokinetics and pharmacodynamics of vecuronium administered by bolus and infusion during halothane or balanced anesthesia (Shanks et al). 1987;42:459-64

Bopindolol

The clinical pharmacology of bopindolol, a new long-acting beta-adrenoceptor antagonist, in hypertension (van den Meiracker et al). 1987;42:411-9

Brequinar sodium

Brequinar sodium (USAN List 290). 1987;42:657

Bumetanide

Sulindac inhibits bumetanide-induced sodium and water excretion (Skinner et al). 1987;42:542-6

Butorphanol

Comparison of intramuscular dezocine with butorphanol and placebo in chronic cancer pain: a method to evaluate analgesia after both single and repeated doses (Stambaugh and McAdams). 1987;42:210-9

C**Caffeine**

An alternative test for acetylator phenotyping with caffeine (Tang et al). 1987;42:509-13

Methoxsalen is a potent inhibitor of the metabolism of caffeine in humans (Mays et al). 1987;42:621-6

A urinary metabolite ratio that reflects systemic caffeine clearance (Campbell et al). 1987;42:157-65

Calcium channel blocker

Calcium channel blocker drugs and diabetic control (Collins et al). 1987;42:420-3

The comparative effects of verapamil and a new dihydropyridine calcium channel blocker on digoxin pharmacokinetics (Johnson et al). 1987;42:66-71

Comparative hemodynamic dose-response effects of five slow calcium channel-blocking agents in coronary artery disease (Silke et al). 1987;42:381-7

Multiple oral doses of nicardipine, a calcium-entry blocker: effects on renal function, plasma renin activity, and aldosterone concentration in mild-to-moderate essential hypertension (Baba et al). 1987;42:232-9

Cancer

Comparison of intramuscular dezocine with butorphanol and placebo in chronic cancer pain: a method to evaluate analgesia after both single and repeated doses (Stambaugh and McAdams). 1987;42:210-9

Cantharides blister fluid

Digoxin concentrations in serum and cantharides blister fluid: correlations with cardiac response (Schäfer-Korting et al). 1987;42:613-20

Captopril

Antihypertensive effects of parenteral nicardipine alone and in combination with captopril (Conrad et al). 1987;42:113-8

Cardiopulmonary bypass

Metocurine kinetics in patients undergoing operations requiring cardiopulmonary bypass (Avram et al). 1987;42:576-81

Cardiovascular effect

Cardiovascular effects of doxepin in cardiac patients with ventricular arrhythmias (Giardina et al). 1987;42:20-7

Cardiovascular effects of verapamil in essential hypertension (Städler et al). 1987;42:485-92

- Digoxin concentrations in serum and cantharides blister fluid: correlations with cardiac response (Schäfer-Korting et al). 1987;42:613-20
- Cephalexin hydrochloride**
Cephalexin hydrochloride (USAN List 290). 1987;42:658
- Cerebrospinal fluid**
The effects of antidepressants on the cerebrospinal fluid homovanillic acid/5-hydroxyindoleacetic acid ratio (Risby et al). 1987;42:547-54
- Cetirizine**
The relative antihistaminic and psychomotor effects of hydroxyzine and cetirizine (Gengo et al). 1987;42:265-72
- Children**
Measurement of pain in children with self-reporting and behavioral assessment (Maunukesela et al). 1987;42:137-41
Prednisolone and methylprednisolone kinetics in children receiving anticonvulsant therapy (Bartoszek et al). 1987;42:424-32
Trimethoprim pharmacokinetics in children with renal insufficiency (Hoppu et al). 1987;42:181-6
- Chlorprothixene**
The hypouricemic effect of chlorprothixene (Shalev et al). 1987;42:562-6
- Cifenline**
Cifenline (USAN List No. 287). 1987;42:359
- Cifenline succinate**
Cifenline succinate (USAN List No. 287). 1987;42:359
- Cigarette smoking**
Cigarette smoking and theophylline metabolism: effects of phenytoin (Crowley et al). 1987;42:334-40
- Cimetidine**
Differences in the inhibitory effect of cimetidine on desipramine metabolism between rapid and slow debrisoquin hydroxylators (Steiner and Spina). 1987;42:278-82
The effect of dietary protein-calorie restriction on the renal elimination of cimetidine (Gersema et al). 1987;42:471-5
- Cirrhosis**
Possible deleterious hemodynamic effect of nifedipine on portal hypertension in patients with cirrhosis (Koshy et al). 1987;42:295-8
- Cisplatin**
Disposition of unchanged cisplatin in patients with ovarian cancer (Reece et al). 1987;42:320-5
- Citation**
Persuading by citation: an analysis of the references of fifty-three published reports of phenylpropanolamine's clinical toxicity (Puder and Morgan). 1987;42:1-9 (Commentary)
- Clopamide**
Clopamide: plasma concentrations and diuretic effect in humans (McNeil et al). 1987;42:299-304
- Coating**
Enteric coating of fenoprofen calcium reduces gastrointestinal microbleeding (Ryan et al). 1987;42:28-32
- Codeine**
The additive analgesic efficacy of acetaminophen, 1000 mg, and codeine, 60 mg, in dental pain (Bentley and Head). 1987;42:634-40
- Commentaries**
Commentary. 1987;42:1-9; 245; 363-4
- Congestive heart failure**
Hemodynamic, renal, and hormonal responses to alpha-human atrial natriuretic peptide in patients with congestive heart failure (Saito et al). 1987;42:142-7
- Consent form**
The consent form as a possible cause of side effects (Myers et al). 1987;42:250-3
- Coronary artery**
Comparative hemodynamic dose-response effects of five slow calcium channel-blocking agents in coronary artery disease (Silke et al). 1987;42:381-7
Effect of a new coronary vasodilator, nicorandil, on variant angina pectoris (Kishida and Murao). 1987;42:166-74
- Cutaneous exposure**
Prolonged absorption with development of tolerance to toxic effects after cutaneous exposure to nicotine (Benowitz et al). 1987;42:119-20
- D**
- Debrisoquin hydroxylation**
The debrisoquin hydroxylation phenotype does not predict the metabolism of phenytoin (Steiner et al). 1987;42:326-33
Differences in the inhibitory effect of cimetidine on desipramine metabolism between rapid and slow debrisoquin hydroxylators (Steiner and Spina). 1987;42:278-82
- Dental pain**
The additive analgesic efficacy of acetaminophen, 1000 mg, and codeine, 60 mg, in dental pain (Bentley and Head). 1987;42:634-40
- Depression; See also Antidepressants**
Clinical and biochemical effects during treatment of depression with nortriptyline: the role of 10-hydroxynortriptyline (Nordin et al). 1987;42:10-9
The reinforcing properties of amphetamine in overweight subjects and subjects with depression (de Wit et al). 1987;42:127-36
- Desipramine**
Differences in the inhibitory effect of cimetidine on desipramine metabolism between rapid and slow debrisoquin hydroxylators (Steiner and Spina). 1987;42:278-82
- Dexamethasone**
Dexamethasone alters plasma levels of beta-endorphin and post-operative pain (Hargreaves et al). 1987;42:601-7
- Dezocine**
Comparison of intramuscular dezocine with butorphanol and placebo in chronic cancer pain: a method to evaluate analgesia after both single and repeated doses (Stambaugh and McAdams). 1987;42:210-9
- Diabetes**
Calcium channel blocker drugs and diabetic control (Collins et al). 1987;42:420-3
Linagliptide fumarate, representing a new class of oral hypoglycemic agent for diabetes (Levin et al). 1987;42:498-503
A new alpha-glucosidase inhibitor (Bay-m-1099) reduces insulin requirements with meals in insulin-dependent diabetes mellitus (Kennedy and Gerich). 1987;42:455-8
- Diazepam**
The effect of antipyrine and rifampin on the metabolism of diazepam (Ohnhaus et al). 1987;42:148-56
- Diet**
The effect of dietary protein-calorie restriction on the renal elimination of cimetidine (Gersema et al). 1987;42:471-5
Effect of structured dietary fiber on bioavailability of amoxicillin (Lutz et al). 1987;42:220-4
Food-induced gastric retention and absorption of sustained-release procainamide (Rocci et al). 1987;42:45-9
- Digoxin**
The comparative effects of verapamil and a new dihydropyridine calcium channel blocker on digoxin pharmacokinetics (Johnson et al). 1987;42:66-71
Digoxin concentrations in serum and cantharides blister fluid: correlations with cardiac response (Schäfer-Korting et al). 1987;42:613-20
- Dihydropyridine calcium**
The comparative effects of verapamil and a new dihydropyridine calcium channel blocker on digoxin pharmacokinetics (Johnson et al). 1987;42:66-71

1,25-Dihydroxyvitamin D₃

Interactions between 1,25-dihydroxyvitamin D₃ and vitamin D₂: effects of pharmacologic doses in normal individuals (Hui et al). 1987;42:641-5

Disoxaril

Disoxaril (USAN List No. 286). 1987;42:242

Disposition kinetics

The effect of sulfinpyrazone on the disposition of pseudoracemic phenprocoumon in humans (Heimark et al). 1987;42:312-9

Disposition kinetics of moclobemide, a monoamine oxidase-A enzyme inhibitor: single and multiple dosing in normal subjects (Schoerlin et al). 1987;42:395-404

Diuretic

Clinical pharmacology of torasemide, a new loop diuretic (Brater et al). 1987;42:187-92

Clopamide: plasma concentrations and diuretic effect in humans (McNeil et al). 1987;42:299-304

Dose-response effect

Comparative hemodynamic dose-response effects of five slow calcium channel-blocking agents in coronary artery disease (Silke et al). 1987;42:381-7

Doxepin

Cardiovascular effects of doxepin in cardiac patients with ventricular arrhythmias (Giardina et al). 1987;42:20-7

Drug interactions

An evaluation of population pharmacokinetics in therapeutic trials. Part II. Detection of a drug-drug interaction (Grasela et al). 1987;42:433-41

The mechanism of the warfarin-rifampin drug interaction in humans (Heimark et al). 1987;42:388-94

E**Elderly; see Geriatric pharmacology****Enantiomorphs**

Interaction of amiodarone with racemic warfarin and its separated enantiomorphs in humans (O'Reilly et al). 1987;42:290-4

Endorphin

Dexamethasone alters plasma levels of beta-endorphin and post-operative pain (Hargreaves et al). 1987;42:601-7

Enoxacin

Enoxacin-warfarin interaction: pharmacokinetic and stereochemical aspects (Toon et al). 1987;42:33-41

Enteric coating

Enteric coating of fenopropen calcium reduces gastrointestinal microbleeding (Ryan et al). 1987;42:28-32

Pharmacokinetics of enteric-coated aspirin and inhibition of platelet thromboxane A₂ and vascular prostacyclin generation in humans (Cerletti et al). 1987;42:175-80

Etanidazole

Etanidazole (USAN List No. 287). 1987;42:360

Ethanolamine oleate

Ethanolamine oleate (USAN List No. 288). 1987;42:480

Ethanolamine oleate (USAN List No. 289). 1987;42:597

Ethanol

Effect of naltrexone on ethanol-provoked flushing in Oriental and white subjects (Wilkin and Hazelrigg). 1987;42:582-7

Etodolac

Effect of high-dose etodolac on renal function (Brater et al). 1987;42:283-9

Excretion

Biliary excretion of intravenous ¹⁴Comeprazole in humans (Lind et al). 1987;42:504-8

Hydrochlorothiazide-amiloride causes excessive urinary zinc excretion (Golik et al). 1987;42:42-4

F**Famotidine**

The effect of various dose regimens of famotidine on basal noc-

turnal and meal-stimulated gastric secretion (Ryan et al). 1987;42:225-31

Fenopropen

Enteric coating of fenopropen calcium reduces gastrointestinal microbleeding (Ryan et al). 1987;42:28-32

Fiber

Effect of structured dietary fiber on bioavailability of amoxicillin (Lutz et al). 1987;42:220-4

Flumazenil

Flumazenil in the management of acute drug overdosage with benzodiazepines and other agents (O'Sullivan and Wade). 1987;42:254-9

Flushing

Effect of naltrexone on ethanol-provoked flushing in Oriental and white subjects (Wilkin and Hazelrigg). 1987;42:582-7

Food

Effect of food on nifedipine pharmacokinetics (Reitberg et al). 1987;42:72-5

Food-induced gastric retention and absorption of sustained-release procainamide (Rocci et al). 1987;42:45-9

G**Ganciclovir**

Ganciclovir (USAN List 287). 1987;42:360

Gastric effects

The effect of various dose regimens of famotidine on basal nocturnal and meal-stimulated gastric secretion (Ryan et al). 1987;42:225-31

Food-induced gastric retention and absorption of sustained-release procainamide (Rocci et al). 1987;42:45-9

Gastrointestinal microbleeding

Enteric coating of fenopropen calcium reduces gastrointestinal microbleeding (Ryan et al). 1987;42:28-32

Gender

Trazodone kinetics: effect of age, gender, and obesity (Greenblatt et al). 1987;42:193-200

Genetic polymorphism

A genetic polymorphism of the N-oxidation of trimethylamine in humans (Al-Waiz et al). 1987;42:588-94

Geriatric pharmacology

The aging of America: a challenge to the pharmaceutical industry (Vagelos). 1987;42:670-3 (Workshop)

Aging or disease (Williams). 1987;42:663-5 (Workshop)

The balance between vascular alpha- and beta-adrenoceptors is not changed in the elderly (Klein et al). 1987;42:260-4

Clinical evaluation of medicine used by the elderly (Young). 1987;42:666-9 (Workshop)

The clinical investigation of drugs for use by the elderly: industry initiatives (Temple). 1987;42:681-5 (Workshop)

Drug therapy in the elderly: the problem from the point of view of a clinical pharmacologist (Reidenberg). 1987;42:677-80 (Workshop)

Introduction: a concept of geriatric clinical pharmacology (Abrams). 1987;42:659-62 (Workshop)

Panel I: final recommendations: the ideal training program. 1987;42:700-1 (Workshop)

Panel I: the ideal training program (Vestal et al). 1987;42:696-9 (Workshop)

Panel II: assessing progress and value of training programs (Oates et al). 1987;42:702-3 (Workshop)

Panel II: final recommendations: assessing program and value of training programs. 1987;42:704 (Workshop)

Pharmacology and geriatric practice: a case study in technology nontransfer (Avorn). 1987;42:674-6 (Workshop)

A study of training in clinical pharmacology of the elderly (Abrams). 1987;42:693-5 (Workshop)

alpha-Glucosidase inhibitor

A new alpha-glucosidase inhibitor (Bay-m-1099) reduces insulin requirements with meals in insulin-dependent diabetes mellitus (Kennedy and Gerich). 1987;42:455-8

Glyceryl dinitrate formation

Variable glyceryl dinitrate formation as a function of route of nitroglycerin administration (Noonan and Benet). 1987;42:273-7

H

H₂-receptor blocking agents

Absorption studies of the H₂-blocker nizatidine (Knadler et al). 1987;42:514-20

Halothane

Pharmacokinetics and pharmacodynamics of vecuronium administered by bolus and infusion during halothane or balanced anesthesia (Shanks et al). 1987;42:459-64

Heart; see Cardiovascular effects

Hemodynamics

Comparative hemodynamic dose-response effects of five slow calcium channel-blocking agents in coronary artery disease (Silke et al). 1987;42:381-7

Efficacy, safety, hemodynamic effects, and pharmacokinetics of high-dose moricizine during short- and long-term therapy (Salerno). 1987;42:201-9

Hemodynamic, renal, and hormonal responses to alpha-human atrial natriuretic peptide in patients with congestive heart failure (Saito et al). 1987;42:142-7

Possible deleterious hemodynamic effect of nifedipine on portal hypertension in patients with cirrhosis (Koshy et al). 1987;42:295-8

Homovanillic acid

The effects of antidepressants on the cerebrospinal fluid homovanillic acid/5-hydroxyindoleacetic acid ratio (Risby et al). 1987;42:547-54

Hormonal response

Hemodynamic, renal, and hormonal responses to alpha-human atrial natriuretic peptide in patients with congestive heart failure (Saito et al). 1987;42:142-7

alpha-Human atrial natriuretic peptide

Hemodynamic, renal, and hormonal responses to alpha-human atrial natriuretic peptide in patients with congestive heart failure (Saito et al). 1987;42:142-7

Human interferon alpha 2a

Biologic response (antiviral) to recombinant human interferon alpha 2a as a function of dose and route of administration in healthy volunteers (Witter et al). 1987;42:567-75

Hydralazine

A double-blind, randomized, controlled trial comparing pinacidil to hydralazine in essential hypertension (Byyny et al). 1987;42:50-7

Hydrochlorothiazide

Hydrochlorothiazide-amiloride causes excessive urinary zinc excretion (Golik et al). 1987;42:42-4

Hydroxyzine

The relative antihistaminic and psychomotor effects of hydroxyzine and cetirizine (Gengo et al). 1987;42:265-72

Hypercoagulability

Hypercoagulability produced by treatment with acetohydroxamic acid (Rodman et al). 1987;42:346-50

Hypertension

Antihypertensive effects of parenteral nicardipine alone and in combination with captopril (Conrad et al). 1987;42:113-8

Cardiovascular effects of verapamil in essential hypertension (Städler et al). 1987;42:485-92

The clinical pharmacology of bopindolol, a new long-acting beta-adrenoceptor antagonist, in hypertension (van den Meiracker et al). 1987;42:411-9

A double-blind, randomized, controlled trial comparing pinacidil to hydralazine in essential hypertension (Byyny et al). 1987;42:50-7

Evaluation of isradipine (PN 200-110) in mild to moderate hypertension (Winer et al). 1987;42:442-8

Intravenous medroloxol stimulates prolactin secretion in normal and hypertensive subjects (Williams et al). 1987;42:76-81

Multiple oral doses of nicardipine, a calcium-entry blocker: effects on renal function, plasma renin activity, and aldosterone concentration in mild-to-moderate essential hypertension (Baba et al). 1987;42:232-9

Possible deleterious hemodynamic effect of nifedipine on portal hypertension in patients with cirrhosis (Koshy et al). 1987;42:295-8

Hypokalemia

Beta-2-adrenoceptor-mediated hypokalemia and its abolishment by oxprenolol (Jonkers et al). 1987;42:627-33

Hypouricemic effect

The hypouricemic effect of chlorprothixene (Shalev et al). 1987;42:562-6

I

Ibuprofen-codeine combination

Analgesic efficacy of two ibuprofen-codeine combinations for the treatment of postepisiotomy and postoperative pain (Sunshine et al). 1987;42:374-80

Indolidan

Indolidan (USAN List No. 287). 1987;42:360

Informed consent

The apparent incompatibility between informed consent and placebo-controlled clinical trials (Levine). 1987;42:247-9

The consent form as a possible cause of side effects (Myers et al). 1987;42:250-3

Infusion

Pharmacokinetics and pharmacodynamics of vecuronium administered by bolus and infusion during halothane or balanced anesthesia (Shanks et al). 1987;42:459-64

Insulin; see Diabetes

Interferon

Biologic response (antiviral) to recombinant human interferon alpha 2a as a function of dose and route of administration in healthy volunteers (Witter et al). 1987;42:567-75

Interferon ALFA-2a (USAN List No. 285). 1987;42:123

Interferon ALFA-2b (USAN List No. 285). 1987;42:124

Interferon ALFA-nl (USAN List No. 285). 1987;42:122

Interferon gamma-1b (USAN List No. 285). 1987;42:123

Intramuscular injection

Total and free ketoprofen in serum and synovial fluid after intramuscular injection (Netter et al). 1987;42:555-61

Intravenous administration

Intravenous medroloxol stimulates prolactin secretion in normal and hypertensive subjects (Williams et al). 1987;42:76-81

Isoniazid

On phenotyping with isoniazid: the use of urinary acetylation ratio and the uniqueness of antimodes. Study of two Amerindian populations (Inaba and Arias). 1987;42:493-7

Isosorbide-5-mononitrate

Isosorbide-5-mononitrate in angina pectoris: plasma concentrations and duration of effects after acute therapy (Thadani et al). 1987;42:58-65

Isradipine (PN 200-110)

Evaluation of isradipine (PN 200-110) in mild to moderate hypertension (Winer et al). 1987;42:442-8

J**Japanese subjects**

S-mephenytoin 4-hydroxylase is inherited as an autosomal-recessive trait in Japanese families (Ward et al). 1987;42:96-9

K**Ketoconazole**

Ketoconazole effects on methylprednisolone disposition and their joint suppression of endogenous cortisol (Kandrotas et al). 1987;42:465-70

Ketoprofen

Total and free ketoprofen in serum and synovial fluid after intramuscular injection (Netter et al). 1987;42:555-61

Kidney; see Renal function**Kinetics; see Pharmacokinetics****L****Lamotrigine**

Lamotrigine, a new anticonvulsant: pharmacokinetics in normal humans (Cohen et al). 1987;42:535-41

Letters

H₂-receptor blocking agents and hepatic drug elimination (Klotz and Fischer-Bosch) (Letter); (Collier and Fee) (Letter reply). 1987;42:595-6

Leukocytes

Receptor redistribution does not accompany terbutaline-induced down regulation of beta-adrenergic receptors on human mononuclear leukocytes (Maisel and Motulsky). 1987;42:100-6

Levocarnitine

Levocarnitine (USAN List No. 288). 1987;42:479

Linogiride fumarate

Linogiride fumarate, representing a new class of oral hypoglycemic agent for diabetes (Levin et al). 1987;42:498-503

Loop diuretic

Clinical pharmacology of torasemide, a new loop diuretic (Brater et al). 1987;42:187-92

M**Medetomidine hydrochloride**

Medetomidine hydrochloride. (USAN List 290). 1987;42:658

Medication

Drug or medication (Wright). 1987;42:245 (Commentary)

Medroxoalol

Intravenous medroxoalol stimulates prolactin secretion in normal and hypertensive subjects (Williams et al). 1987;42:76-81

S-mephenytoin 4-hydroxylase

S-mephenytoin 4-hydroxylase is inherited as an autosomal-recessive trait in Japanese families (Ward et al). 1987;42:96-9

Metabolism

Methoxsalen is a potent inhibitor of the metabolism of caffeine in humans (Mays et al). 1987;42:621-6

The debrisoquin hydroxylation phenotype does not predict the metabolism of phenytoin (Steiner et al). 1987;42:326-33

Metabolite ratio

A urinary metabolite ratio that reflects systemic caffeine clearance (Campbell et al). 1987;42:157-65

Methoxsalen

Methoxsalen is a potent inhibitor of the metabolism of caffeine in humans (Mays et al). 1987;42:621-6

Methylprednisolone

Ketoconazole effects on methylprednisolone disposition and their joint suppression of endogenous cortisol (Kandrotas et al). 1987;42:465-70

Prednisolone and methylprednisolone kinetics in children receiving anticonvulsant therapy (Bartoszek et al). 1987;42:424-32

Metocurine

Metocurine kinetics in patients undergoing operations requiring cardiopulmonary bypass (Avram et al). 1987;42:576-81

Microbleeding

Enteric coating of fenoprofen calcium reduces gastrointestinal microbleeding (Ryan et al). 1987;42:28-32

Moclobemide

Disposition kinetics of moclobemide, a monoamine oxidase-A enzyme inhibitor: single and multiple dosing in normal subjects (Schoerlin et al). 1987;42:395-404

Monoamine oxidase-A enzyme inhibitor

Disposition kinetics of moclobemide, a monoamine oxidase-A enzyme inhibitor: single and multiple dosing in normal subjects (Schoerlin et al). 1987;42:395-404

Mononuclear leukocytes

Receptor redistribution does not accompany terbutaline-induced down regulation of beta-adrenergic receptors on human mononuclear leukocytes (Maisel and Motulsky). 1987;42:100-6

Moricizine

Efficacy, safety, hemodynamic effects, and pharmacokinetics of high-dose moricizine during short- and long-term therapy (Salerno). 1987;42:201-9

Multiple dosing

Disposition kinetics of moclobemide, a monoamine oxidase-A enzyme inhibitor: single and multiple dosing in normal subjects (Schoerlin et al). 1987;42:395-404

N**Naltrexone**

Effect of naltrexone on ethanol-provoked flushing in Oriental and white subjects (Wilkin and Hazelrigg). 1987;42:582-7

Naproxen

Anirolac vs. naproxen for postpartum uterine pain (Bloomfield et al). 1987;42:89-95

Renal function and tubular transport effects of sulindac and naproxen in chronic heart failure (Eriksson et al). 1987;42:646-58

Natriuretic peptide

Hemodynamic, renal, and hormonal responses to alpha-human atrial natriuretic peptide in patients with congestive heart failure (Saito et al). 1987;42:142-7

Nicainoprol

Disposition kinetics and dynamics of nicainoprol, a new antiarrhythmic agent, in humans (Ishizaki et al). 1987;42:525-34

Nicardipine

Antihypertensive effects of parenteral nicardipine alone and in combination with captopril (Conrad et al). 1987;42:113-8

Multiple oral doses of nicardipine, a calcium-entry blocker: effects on renal function, plasma renin activity, and aldosterone concentration in mild-to-moderate essential hypertension (Baba et al). 1987;42:232-9

Nicorandil

Effect of a new coronary vasodilator, nicorandil, on variant angina pectoris (Kishida and Muraio). 1987;42:166-74

Nicotine

Prolonged absorption with development of tolerance to toxic effects after cutaneous exposure to nicotine (Benowitz et al). 1987;42:119-20

Nifedipine

Effect of food on nifedipine pharmacokinetics (Reitberg et al). 1987;42:72-5

Possible deleterious hemodynamic effect of nifedipine on portal hypertension in patients with cirrhosis (Koshy et al). 1987;42:295-8

Nitroglycerin

Absence of age-related changes in venous responsiveness to nitroglycerin in vivo in humans (Eichler et al). 1987;42:521-4

- Variable glyceryl dinitrate formation as a function of route of nitroglycerin administration (Noonan and Benet). 1987;42:273-7
- Nizatidine**
Absorption studies of the H₂-blocker nizatidine (Knadler et al). 1987;42:514-20
- Nortriptyline**
Clinical and biochemical effects during treatment of depression with nortriptyline: the role of 10-hydroxynortriptyline (Nordin et al). 1987;42:10-9
- Note from editor**
Note from the editor. 1987;42:246
- N-oxidation**
A genetic polymorphism of the N-oxidation of trimethylamine in humans (Al-Waiz et al). 1987;42:588-94
- O**
- Obesity**
The reinforcing properties of amphetamine in overweight subjects and subjects with depression (de Wit et al). 1987;42:127-36
Trazodone kinetics: effect of age, gender, and obesity (Greenblatt et al). 1987;42:193-200
- Omeprazole**
Biliary excretion of intravenous ¹⁴Comeprazole in humans (Lind et al). 1987;42:504-8
- Oriental subjects**
Effect of naltrexone on ethanol-provoked flushing in Oriental and white subjects (Wilkin and Hazelrigg). 1987;42:582-7
S-mephenytoin 4-hydroxylase is inherited as an autosomal-recessive trait in Japanese families (Ward et al). 1987;42:96-9
- Ovarian cancer**
Disposition of unchanged cisplatin in patients with ovarian cancer (Reece et al). 1987;42:320-5
- Oxiconazole nitrate**
Oxiconazole nitrate (USAN List No. 286). 1987;42:242
- P**
- Pain**
The additive analgesic efficacy of acetaminophen, 1000 mg, and codeine, 60 mg, in dental pain (Bentley and Head). 1987;42:634-40
Analgesic efficacy of two ibuprofen-codeine combinations for the treatment of postepiostomy and postoperative pain (Sunshine et al). 1987;42:374-80
Anirolac vs. naproxen for postpartum uterine pain (Bloomfield et al). 1987;42:89-95
Comparison of intramuscular dezocine with butorphanol and placebo in chronic cancer pain: a method to evaluate analgesia after both single and repeated doses (Stambaugh and McAdams). 1987;42:210-9
Dexamethasone alters plasma levels of beta-endorphin and postoperative pain (Hargreaves et al). 1987;42:601-7
Measurement of pain in children with self-reporting and behavioral assessment (Maunukesela et al). 1987;42:137-41
- Pelanserlin hydrochloride**
Pelanserlin hydrochloride (USAN List No. 287). 1987;42:359
- Pemedolac**
Pemedolac (USAN List No. 288.) 1987;42:478
- Peptide**
Hemodynamic, renal, and hormonal responses to alpha-human atrial natriuretic peptide in patients with congestive heart failure (Saito et al). 1987;42:142-7
- Pharmacodynamics**
Kinetics and dynamics of quinidine-N-oxide in healthy subjects (Ha et al). 1987;42:341-5
Pharmacodynamics and pharmacokinetics of oral pirlmenol (Ellenbogen et al). 1987;42:405-10
- Pharmacokinetics and pharmacodynamics of vecuronium administered by bolus and infusion during halothane or balanced anesthesia (Shanks et al). 1987;42:459-64
- Pharmacokinetics**
Bias in pharmacokinetics and clinical pharmacology (Ariens and Wuis). 1987;42:361-3 (Commentary)
The comparative effects of verapamil and a new dihydropyridine calcium channel blocker on digoxin pharmacokinetics (Johnson et al). 1987;42:66-71
Disposition kinetics and dynamics of nicainoprol, a new antiarrhythmic agent, in humans (Ishizaki et al). 1987;42:525-34
Effect of food on nifedipine pharmacokinetics (Reitberg et al). 1987;42:72-5
Effect kinetics of N-acetylprocainamide-induced QT interval prolongation (Piergies et al). 1987;42:107-12
Efficacy, safety, hemodynamic effects, and pharmacokinetics of high-dose moricizine during short- and long-term therapy (Salerno). 1987;42:201-9
Efficacy, safety, hemodynamic effects, and pharmacokinetics of high-dose moricizine during short- and long-term therapy (Salerno et al). 1987;42:201-9
Enoxacin-warfarin interaction: pharmacokinetic and stereochemical aspects (Toon et al). 1987;42:33-41
An evaluation of population pharmacokinetics in therapeutic trials. Part II. Detection of a drug-drug interaction (Grasela et al). 1987;42:433-41
Kinetics and dynamics of quinidine-N-oxide in healthy subjects (Ha et al). 1987;42:341-5
Lamotrigine, a new anticonvulsant: pharmacokinetics in normal humans (Cohen et al). 1987;42:535-41
Pharmacodynamics and pharmacokinetics of oral pirlmenol (Ellenbogen et al). 1987;42:405-10
Pharmacokinetics and pharmacodynamics of vecuronium administered by bolus and infusion during halothane or balanced anesthesia (Shanks et al). 1987;42:459-64
Pharmacokinetics of enteric-coated aspirin and inhibition of platelet thromboxane A₂ and vascular prostacyclin generation in humans (Cerletti et al). 1987;42:175-80
Pharmacokinetics of rimantadine hydrochloride in patients with chronic liver disease (Wills et al). 1987;42:449-54
Trazodone kinetics: effect of age, gender, and obesity (Greenblatt et al). 1987;42:193-200
Trimethoprim pharmacokinetics in children with renal insufficiency (Hoppe et al). 1987;42:181-6
- Phenotyping**
On phenotyping with isoniazid: the use of urinary acetylation ratio and the uniqueness of antimodes. Study of two Amerindian populations (Inaba and Arias). 1987;42:493-7
- Phenprocoumon**
The effect of sulfinpyrazone on the disposition of pseudoracemic phenprocoumon in humans (Heimark et al). 1987;42:312-9
- Phenylpropanolamine**
Persuading by citation: an analysis of the references of fifty-three published reports of phenylpropanolamine's clinical toxicity (Puder and Morgan). 1987;42:1-9 (Commentary)
- Phenytoin**
Cigarette smoking and theophylline metabolism: effects of phenytoin (Crowley et al). 1987;42:334-40
The debrisoquin hydroxylation phenotype does not predict the metabolism of phenytoin (Steiner et al). 1987;42:326-33
- Pinacidil**
A double-blind, randomized, controlled trial comparing pinacidil to hydralazine in essential hypertension (Byyny et al). 1987;42:50-7
- Pipecuronium bromide**
Pipecuronium bromide (USAN List No. 286). 1987;42:240

Pirfenol

Pharmacodynamics and pharmacokinetics of oral pirfenol (Ellenbogen et al). 1987;42:405-10

Placebo-controlled clinical trials

The apparent incompatibility between informed consent and placebo-controlled clinical trials (Levine). 1987;42:247-9

Plasma concentrations

Clopidamide: plasma concentrations and diuretic effect in humans (McNeil et al). 1987;42:299-304

Dexamethasone alters plasma levels of beta-endorphin and postoperative pain (Hargreaves et al). 1987;42:601-7

Multiple oral doses of nifedipine, a calcium-entry blocker: effects on renal function, plasma renin activity, and aldosterone concentration in mild-to-moderate essential hypertension (Baba et al). 1987;42:232-9

Platelets

Pharmacokinetics of enteric-coated aspirin and inhibition of platelet thromboxane A₂ and vascular prostacyclin generation in humans (Cerletti et al). 1987;42:175-80

Population pharmacokinetics

An evaluation of population pharmacokinetics in therapeutic trials. Part II. Detection of a drug-drug interaction (Grasela et al). 1987;42:433-41

Portal hypertension

Possible deleterious hemodynamic effect of nifedipine on portal hypertension in patients with cirrhosis (Koshy et al). 1987;42:295-8

Postoperative pain

Analgesic efficacy of two ibuprofen-codeine combinations for the treatment of postepisiotomy and postoperative pain (Sunshine et al). 1987;42:374-80

Postpartum pain

Anirolac vs. naproxen for postpartum uterine pain (Bloomfield et al). 1987;42:89-95

Potassium

Beta-2-adrenoceptor-mediated hypokalemia and its abolishment by oxprenolol (Jonkers et al). 1987;42:627-33

Prednisolone

Prednisolone and methylprednisolone kinetics in children receiving anticonvulsant therapy (Bartoszek et al). 1987;42:424-32

Procinamide

Food-induced gastric retention and absorption of sustained-release procinamide (Rocci et al). 1987;42:45-9

Prolactin

Intravenous medroxoalol stimulates prolactin secretion in normal and hypertensive subjects (Williams et al). 1987;42:76-81

Propafenone

Interaction between warfarin and propafenone in healthy volunteer subjects (Kates et al). 1987;42:305-11

Prostacyclin

Pharmacokinetics of enteric-coated aspirin and inhibition of platelet thromboxane A₂ and vascular prostacyclin generation in humans (Cerletti et al). 1987;42:175-80

Protein-calorie restriction

The effect of dietary protein-calorie restriction on the renal elimination of cimetidine (Gersema et al). 1987;42:471-5

Pseudoracemic phenprocoumon

The effect of sulfapyrazone on the disposition of pseudoracemic phenprocoumon in humans (Heimark et al). 1987;42:312-9

Psychomotor effects

The relative antihistaminic and psychomotor effects of hydroxyzine and ceterizine (Gengo et al). 1987;42:265-72

Publication

Persuading by citation: an analysis of the references of fifty-three

published reports of phenylpropanolamine's clinical toxicity (Puder and Morgan). 1987;42:1-9 (Commentary)

Q**QT interval**

Effect kinetics of *N*-acetylprocainamide-induced QT interval prolongation (Piergies et al). 1987;42:107-12

Quinidine-N-oxide

Kinetics and dynamics of quinidine-N-oxide in healthy subjects (Ha et al). 1987;42:341-5

R**Racemates**

On the use of drugs administered as racemates (Drayer). 1987;42:364 (Commentary)

Racemic warfarin

Interaction of amiodarone with racemic warfarin and its separated enantiomorphs in humans (O'Reilly et al). 1987;42:290-4

Ractopamine hydrochloride

Ractopamine hydrochloride (USAN List No. 288). 1987;42:478

Renal function

Biotransformation of sulindac in end-stage renal disease (Gibson et al). 1987;42:82-8

The effect of dietary protein-calorie restriction on the renal elimination of cimetidine (Gersema et al). 1987;42:471-5

Effect of high-dose etodolac on renal function (Brater et al). 1987;42:283-9

Hemodynamic, renal, and hormonal responses to alpha-human atrial natriuretic peptide in patients with congestive heart failure (Saito et al). 1987;42:142-7

Multiple oral doses of nifedipine, a calcium-entry blocker: effects on renal function, plasma renin activity, and aldosterone concentration in mild-to-moderate essential hypertension (Baba et al). 1987;42:232-9

Renal function and tubular transport effects of sulindac and naproxen in chronic heart failure (Eriksson et al). 1987;42:646-58

Trimethoprim pharmacokinetics in children with renal insufficiency (Hoppu et al). 1987;42:181-6

Renin

Multiple oral doses of nifedipine, a calcium-entry blocker: effects on renal function, plasma renin activity, and aldosterone concentration in mild-to-moderate essential hypertension (Baba et al). 1987;42:232-9

Reviewers

List of reviewers. 1987;42:476

Ribavirin

Ribavirin pharmacodynamics in high-risk patients for acquired immunodeficiency syndrome (Roberts et al). 1987;42:365-73

Rifampin

The effect of antipyrine and rifampin on the metabolism of diazepam (Ohnhaus et al). 1987;42:148-56

The mechanism of the warfarin-rifampin drug interaction in humans (Heimark et al). 1987;42:388-94

Rimantadine hydrochloride

Pharmacokinetics of rimantadine hydrochloride in patients with chronic liver disease (Wills et al). 1987;42:449-54

Rocastine hydrochloride

Rocastine hydrochloride (USAN List No. 288). 1987;42:479

S**Safety**

Efficacy, safety, hemodynamic effects, and pharmacokinetics of high-dose moricizine during short- and long-term therapy (Salerno). 1987;42:201-9

Seglitide acetate

Seglitide acetate (USAN List No. 288). 1987;42:479

Serum

Total and free ketoprofen in serum and synovial fluid after intramuscular injection (Netter et al). 1987;42:555-61

Side effects

The consent form as a possible cause of side effects (Myers et al). 1987;42:250-3

Simvastatin

Simvastatin. (USAN List 290). 1987;42:657

Sodium excretion

Sulindac inhibits bumetanide-induced sodium and water excretion (Skinner et al). 1987;42:542-6

Stereochemical aspects

Enoxacin-warfarin interaction: pharmacokinetic and stereochemical aspects (Toon et al). 1987;42:33-41

Sulfinpyrazone

The effect of sulfinpyrazone on the disposition of pseudoracemic phenprocoumon in humans (Heimark et al). 1987;42:312-9

Sulindac

Biotransformation of sulindac in end-stage renal disease (Gibson et al). 1987;42:82-8

Sulindac inhibits bumetanide-induced sodium and water excretion (Skinner et al). 1987;42:542-6

Renal function and tubular transport effects of sulindac and naproxen in chronic heart failure (Eriksson et al). 1987;42:646-58

Sustained-release drug

Food-induced gastric retention and absorption of sustained-release procainamide (Rocci et al). 1987;42:45-9

Synovial fluid

Total and free ketoprofen in serum and synovial fluid after intramuscular injection (Netter et al). 1987;42:555-61

T

Teceleukin

Teceleukin (USAN List No. 288). 1987;42:480

Technology

Pharmacology and geriatric practice: a case study in technology nontransfer (Avorn). 1987;42:674-6 (Workshop)

Tenoxicam

Tenoxicam (USAN List No. 286). 1987;42:241

Tepoxalin

Tepoxalin. (USAN List 290). 1987;42:656

Terbinafine

Terbinafine (USAN List No. 286). 1987;42:240

Terbutaline

Receptor redistribution does not accompany terbutaline-induced down regulation of beta-adrenergic receptors on human mononuclear leukocytes (Maisel and Motulsky). 1987;42:100-6

Theophylline metabolism

Cigarette smoking and theophylline metabolism: effects of phenytoin (Crowley et al). 1987;42:334-40

Therapeutic revolution

The therapeutic revolution (Weinshilboum). 1987;42:481-4

Therapeutic trials

An evaluation of population pharmacokinetics in therapeutic trials. Part II. Detection of a drug-drug interaction (Grasela et al). 1987;42:433-41

Thioxanthenes

The hypouricemic effect of chlorprothixene (Shalev et al). 1987;42:562-6

Thromboxane A₂

Pharmacokinetics of enteric-coated aspirin and inhibition of platelet thromboxane A₂ and vascular prostacyclin generation in humans (Cerletti et al). 1987;42:175-80

Tibenelast sodium

Tibenelast sodium (USAN List No. 288). 1987;42:480

Tigemonam dicholine

Tigemonam Dicholine (USAN List No. 289). 1987;42:597

Tiospirone hydrochloride

Tiospirone hydrochloride. (USAN List 290). 1987;42:658

Tixocortol pivalate

Tixocortol pivalate (USAN List. No. 286). 1987;42:241

Tolofocan A

Tolofocan A (USAN List No. 289). 1987;42:598

Toraseamide

Clinical pharmacology of toraseamide, a new loop diuretic (Brater et al). 1987;42:187-92

Toxicity

Persuading by citation: an analysis of the references of fifty-three published reports of phenylpropanolamine's clinical toxicity (Puder and Morgan). 1987;42:1-9 (Commentary)

Prolonged absorption with development of tolerance to toxic effects after cutaneous exposure to nicotine (Benowitz et al). 1987;42:119-20

Training

Panel I: final recommendations: the ideal training program. 1987;42:700-1 (Workshop)

Panel I: the ideal training program (Vestal et al). 1987;42:696-9 (Workshop)

Panel II: assessing progress and value of training programs (Oates et al). 1987;42:702-3 (Workshop)

Panel II: final recommendations: assessing program and value of training programs. 1987;42:704 (Workshop)

A study of training in clinical pharmacology of the elderly (Abrass). 1987;42:693-5 (Workshop)

Tranquilizer

The hypouricemic effect of chlorprothixene (Shalev et al). 1987;42:562-6

Trazodone

Trazodone kinetics: effect of age, gender, and obesity (Greenblatt et al). 1987;42:193-200

Trimethoprim

Trimethoprim pharmacokinetics in children with renal insufficiency (Hoppu et al). 1987;42:181-6

Trimethylamine

Disclosure of the metabolic retroversion of trimethylamine *N*-oxide in humans: a pharmacogenetic approach (Al-Waiz et al). 1987;42:608-12

A genetic polymorphism of the *N*-oxidation of trimethylamine in humans (Al-Waiz et al). 1987;42:588-94

Trimetrexate

Clinical pharmacology of trimetrexate (Ho et al). 1987;42:351-6

U

Unevaluated therapy

Should unevaluated therapies be available for sale (Reidenberg). 1987;42:599-600 (Commentary)

United States Adopted Names Council

USAN Council. 1987;42:122-4; 240-2; 359-60; 478-80; 597-8; 656-8

Uricemia

The hypouricemic effect of chlorprothixene (Shalev et al). 1987;42:562-6

Urinary acetylation ratio

On phenotyping with isoniazid: the use of urinary acetylation ratio and the uniqueness of antimodes. Study of two Amerindian populations (Inaba and Arias). 1987;42:493-7

Urinary metabolite

A urinary metabolite ratio that reflects systemic caffeine clearance (Campbell et al). 1987;42:157-65

Urinary zinc excretion

Hydrochlorothiazide-amiloride causes excessive urinary zinc excretion (Golik et al). 1987;42:42-4

Uterine pain

Anirolac vs. naproxen for postpartum uterine pain (Bloomfield et al). 1987;42:89-95

V**Vascular prostacyclin**

Pharmacokinetics of enteric-coated aspirin and inhibition of platelet thromboxane A₂ and vascular prostacyclin generation in humans (Cerletti et al). 1987;42:175-80

Vasodilator

Effect of a new coronary vasodilator, nicorandil, on variant angina pectoris (Kishida and Muraio). 1987;42:166-74

Vecuronium

Pharmacokinetics and pharmacodynamics of vecuronium administered by bolus and infusion during halothane or balanced anesthesia (Shanks et al). 1987;42:459-64

Veins

Absence of age-related changes in venous responsiveness to nitroglycerin in vivo in humans (Eichler et al). 1987;42:521-4

Ventricular arrhythmia

Cardiovascular effects of doxepin in cardiac patients with ventricular arrhythmias (Giardina et al). 1987;42:20-7

Verapamil

Cardiovascular effects of verapamil in essential hypertension (Städler et al). 1987;42:485-92

The comparative effects of verapamil and a new dihydropyridine calcium channel blocker on digoxin pharmacokinetics (Johnson et al). 1987;42:66-71

Vifilcon B

Vifilcon B. (USAN List 290). 1987;42:657

Virus

Biologic response (antiviral) to recombinant human interferon alpha 2a as a function of dose and route of administration in healthy volunteers (Witter et al). 1987;42:567-75

Vitamin D

Interactions between 1,25-dihydroxyvitamin D₃ and vitamin D₂: effects of pharmacologic doses in normal individuals (Hui et al). 1987;42:641-5

W**Warfarin**

Enoxacin-warfarin interaction: pharmacokinetic and stereochemical aspects (Toon et al). 1987;42:33-41

Interaction between warfarin and propafenone in healthy volunteer subjects (Kates et al). 1987;42:305-11

The mechanism of the warfarin-rifampin drug interaction in humans (Heimark et al). 1987;42:388-94

Water excretion

Sulindac inhibits bumetanide-induced sodium and water excretion (Skinner et al). 1987;42:542-6

Weight loss

The reinforcing properties of amphetamine in overweight subjects and subjects with depression (de Wit et al). 1987;42:127-36

Workshop

The aging of America: a challenge to the pharmaceutical industry (Vagelos). 1987;42:670-3

Aging or disease (Williams). 1987;42:663-5

Clinical evaluation of medicine used by the elderly (Young). 1987;42:666-9

The clinical investigation of drugs for use by the elderly: industry initiatives (Temple). 1987;42:681-5

Drug therapy in the elderly: the problem from the point of view of a clinical pharmacologist (Reidenberg). 1987;42:677-80

Introduction: a concept of geriatric clinical pharmacology (Abrams). 1987;42:659-62

Panel I: final recommendations: the ideal training program. 1987;42:700-1

Panel I: the ideal training program (Vestal et al). 1987;42:696-9

Panel II: assessing progress and value of training programs (Oates et al). 1987;42:702-3

Panel II: final recommendations: assessing program and value of training programs. 1987;42:704

Pharmacology and geriatric practice: a case study in technology nontransfer (Avorn). 1987;42:674-6

A study of training in clinical pharmacology of the elderly (Abrams). 1987;42:693-5

Z**Zinc**

Hydrochlorothiazide-amiloride causes excessive urinary zinc excretion (Golik et al). 1987;42:42-4

